

[← Back to Products](#)

ECO44

🏠 8 BEDROOM 🚿 4 BATH 📏 6400 SQFT ⚖️ 88000lbs

The ECO44 is the largest and most luxurious model in the PLAD lineup. This is our first model in the multi-family series, which can serve as a fourplex, an eightplex residence, or as a single-family home. With a sophisticated interior rendering, this expansive unit caters to those seeking a spacious and high-quality living environment. Whether used as a family home, vacation retreat, or executive housing, the ECO44 offers superior craftsmanship, eco-friendly features, and the ability to customize layouts to suit specific needs.

Photos




















PI AD

2450 Hollywood Blvd. Suite 503
Hollywood, Florida, 33020
www.pladhomes.com
info@pladhomes.com

SEATOP HOMES

834 SW 14th CT Fort Lauderdale
FL, 33315
www.seatophomes.com
info@seatophomes.com

**New Era
Construction LLC**

2400 Davis Blvd, Suite 101 Naples, FL 34104
 Off: 239-825-4203 Cell/Text: 239-825-4203
 Email: MikeW@NEC247.com
 CRC: 1513126 H1 6081

Version 3.9

[illegible]

ELEVATION EAST LEFT & WEST RIGHT

Client: _____

Project Address:

Project No.: PLAD 001

Date:	Sep 26, 2025
Page:	11

A2.1

Scale of ΔH_{CH} $1.4^\circ = 1.0^\circ$

Videos

No media available for Videos.

3D Videos



ECO40: The Future of Sustainable Living! | PLAD Homes

PLAD Homes

PLAD®

Personalized Luxury Adaptable Dwellings

AURA
ECO 40




Watch on YouTube


Material

PLAD





Eco Material Composition




Eco Material Composition




PLAD




PLAD



PLAD




PLAD



SUB STEEL BRACING

CORNER BLOCK


PLAD



SUB STEEL BRACING


CORNER BLOCK

PLAD




Performance parameters and advantages of floor frame:

1. All profiles are made of Q355 low-alloy carbon structural steel, cold-formed, with high structural strength and light weight. The live load of the floor can reach to 2.5KN/M2.
2. All the profiles are welded into a whole piece, with good connection rigidity and high strength, easy to install.
3. The frame is galvanized, and after the welding is finished, it is sprayed with powder with superior anti-corrosion, and the service life is more than 25 years.
4. There are lifting holes at the bottom for easy installation and transportation.
5. There is a need for heat preservation at the floor, it can be installed with a colored steel sealing bottom plate, filling PU, rock wool, glass wool etc.
6. Forklift holes can be added.



SUB STEEL BRACING




CORNER BLOCK


Floor Module



Ceiling Module



Exterior Wallboard Module



Interior Wallboard Module



Specification

MIAMI-DADE CODE STANDARDS & CERTIFICATIONS

Standards and Approvals



Florida Building Code 2023



American Society of Civil Engineers



American Iron and Steel Institute



ASTM International

Certifications and Testings



Mythic Engineering



SGS



Intertek

FEATURES



WELDING, PLUMBING & ELECTRICAL READY



ANTI-CORROSION: 20 YEARS



SOUND PROOFING: >60DB



WIND RESISTANCE: 185 MPH



SNOW LOAD CAPACITY: 21 PSF



SEISMIC RESISTANCE: GRADE 9



SERVICE LIFE: 100 YEARS



FIRE RESISTANCE: GRADE 3 (60 MINUTES)

Certification

PLAD

Welcome Back!

Please Login To View this certificate

Login/Register

PDF Preview

Download a complete brochure for this product.



Download PDF